



UNITED STATES PATENT AND TRADEMARK OFFICE

11A

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/826,985	04/19/2004	Shijian Luo	2269-5565.1US (02-1124.01)	3493
24247	7590	09/07/2006	EXAMINER	
TRASK BRITT P.O. BOX 2550 SALT LAKE CITY, UT 84110			STARK, JARRETT J	
			ART UNIT	PAPER NUMBER
			2823	

DATE MAILED: 09/07/2006

Please find below and/or attached an Office communication concerning this application or proceeding.

Office Action Summary

Application No.

10/826,985

Applicant(s)

LUO ET AL.

Examiner

Jarrett J. Stark

Art Unit

2823

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 19 April 2004.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-29 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1-29 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on _____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
- ☐ Certified copies of the priority documents have been received.
 - ☐ Certified copies of the priority documents have been received in Application No. _____.
 - ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- 1) ☒ Notice of References Cited (PTO-892)
- 2) ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
- 3) ☒ Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08)
Paper No(s)/Mail Date 4/19/2004 6/06
- 4) ☐ Interview Summary (PTO-413)
Paper No(s)/Mail Date. _____
- 5) ☐ Notice of Informal Patent Application (PTO-152)
- 6) ☐ Other: _____

DETAILED ACTION

Claim Rejections - 35 USC § 102

The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless –

(e) the invention was described in a patent granted on an application for patent by another filed in the United States before the invention thereof by the applicant for patent, or on an international application by another who has fulfilled the requirements of paragraphs (1), (2), and (4) of section 371(c) of this title before the invention thereof by the applicant for patent.

The changes made to 35 U.S.C. 102(e) by the American Inventors Protection Act of 1999 (AIPA) and the Intellectual Property and High Technology Technical Amendments Act of 2002 do not apply when the reference is a U.S. patent resulting directly or indirectly from an international application filed before November 29, 2000. Therefore, the prior art date of the reference is determined under 35 U.S.C. 102(e) prior to the amendment by the AIPA (pre-AIPA 35 U.S.C. 102(e)).

Claims 1-8 and 19-29 are rejected under 35 U.S.C. 102(e) as being anticipated by Tong et al. (US 2003/0171456).

1. **Regarding claim 1**, Tong discloses a method for forming a protective layer on a plurality of semiconductor device components, comprising:

providing a fabrication substrate carrying a plurality of semiconductor device components, adjacent semiconductor device components on the fabrication substrate being separated from one another by a street extending therebetween (Tong, ¶ [0013] – Inherently present before semiconductor chips or dies are separated/diced);

applying a protective material to active surfaces of at least the adjacent semiconductor device components (Tong, ¶ [0013] – B-stageable material – protective material that is semi-cured);

severing the protective material and at least partially severing the adjacent semiconductor device components from one another along the street (Tong, ¶ [0013] – Chips are dice after a being partially cured); and

healing cracks and delaminated areas in the protective material formed during the at least partially severing (Tong, ¶ [0013] – final complete curing).

In the preferred embodiment, the composition is B-stageable, i.e., the composition is capable of an initial solidification that produces a, smooth, non-tacky coating on the semiconductor wafer. The B-stage solidification preferably occurs in at a temperature in the range of about 100.degree. C. to about 150.degree. C. After the B-stage process, a smooth, non-tacky solid coating is obtained on the wafer to ensure the clean dicing of the wafer into individual chips. The final, complete curing occurs at a second temperature that is higher than the B-stage curing temperature. Generally, the final cure of the composition occurs after the formation of the interconnections. (Tong, ¶ [0013])

Structural Elements recited in the claim must manipulatively distinguish the claim from the prior art to have patentable weight.

“To be entitled to patentable weight in method claims, the recited structural limitations therein must affect the method in a manipulative sense and not amount to mere claiming of a use of a particular structure.”

Ex parte Pfeiffer, 135 USPQ 31,k 33 (Bd. Pat. App & Inter. 1961). Put another way, “patentability of a method claim must rest on the method steps recited, not on the

structure used, unless that structure affects the method steps.” *Leesona Corp. v. U.S.*, 185 USPQ 156, 165 (Ct. Cl. Trial div. 1975) *aff’d* 192 USPQ 672 (Ct. Cl. 1976).

In *Ex parte Pfeiffer*, 135 USPQ 31, 33 (Bd. Pat. App. & Inter. 1961) the claims set forth a method of dropping a rubber bag out of a airplane without the use of a parachute to transport free flowing material inside the bag to the ground. The applicant argued that the reference applied by the examiner did not use a rubber bag having walls of extremely high tensile strength capable of stretching several hundred percent and which was oblate in shape. The Board upheld the rejection based on the fact that the bag of the prior art is manipulated (filled, dropped, allowed to fall and a opened after impact) as claimed and that the structural differences of the bag do not alter these basic steps. In *Leeson Corp. v. U.S.*, 185 USPQ 156, 165 (Ct. Cl. Trial div. 1975) *aff’d* 192 USPQ 672 (Ct. Cl. 1976) the claim was directed to a method of recharging a battery having a gas permeable nonconsumable envelope cathode in which the spent anode was removed from the nonconsumable envelope cathode and replaced with a fresh anode. The court stated that, in this case, it is apparent that the claimed method steps are not affected by the claimed cathode structure since the very same method would be used with the box cathode of Heise.” 185 USPQ at 165. The methods of recharging a battery “cannot be transformed into a patentably new one merely by using it to recharge a battery having cathode not shown in the prior art.” *Id.* At 165 (emphasis added).

2. **Regarding claim 2**, Tong discloses the method of claim 1, wherein providing comprises providing a fabrication substrate with at least one bond pad exposed at an active surface of each of the adjacent semiconductor device components (Tong, ¶ [0013] – interconnections – structural limitation do not have patentable weight – see regarding claim 1).

Art Unit: 2823

3. **Regarding claim 3,** Tong discloses the method of claim 2, wherein providing comprises providing a fabrication substrate with a plurality of semiconductor device components comprising at least one of semiconductor devices, interposers, and carrier substrates.

4. **Regarding claim 4,** Tong discloses the method of claim 2, wherein applying comprises applying the protective material such that the at least one bond pad of each of the plurality of semiconductor device components is exposed through the protective material sufficiently to effect electrical contact therewith (Tong, ¶ [0013]).

5. **Regarding claim 5,** Tong discloses the method of claim 2, wherein providing comprises providing the fabrication substrate with each of the plurality of semiconductor device components having a conductive structure protruding from the at least one bond pad thereof (Tong, ¶ [0013]).

6. **Regarding claim 6,** Tong discloses the method of claim 5, wherein applying comprises applying the protective material such that the protective material contacts a base portion of at least one conductive structure (Tong, ¶ [0013]).

7. **Regarding claim 7,** Tong discloses the method of claim 6, wherein applying comprises forming a support structure around the base portion of the at least one conductive structure (Tong, ¶ [0013]).

8. **Regarding claim 8,** Tong discloses the method of claim 5, wherein applying comprises applying the protective material such that the protective material is spaced apart from a base portion of at least one conductive structure (Tong, ¶ [0013]).

19. **Regarding claim 19,** Tong discloses the method of claim 1, wherein applying comprises applying the protective material in a liquid state (Tong, ¶ [0013]).

20. **Regarding claim 20,** Tong discloses the method of claim 19, further comprising spreading the protective material to form a protective layer on the active surfaces (Tong, ¶ [0013]).

21. **Regarding claim 21,** Tong discloses the method of claim 20, wherein applying the protective material in the liquid state comprises applying a quantity of a substantially uncured polymer to the active surfaces (Tong, ¶ [0013]).

22. **Regarding claim 22,** Tong discloses the method of claim 21, further comprising partially curing the polymer prior to severing and at least partially severing (Tong, ¶ [0013]).

23. **Regarding claim 23,** Tong discloses the method of claim 22, wherein healing is effected while the polymer remains in a partially cured state (Tong, ¶ [0013]).

Art Unit: 2823

24. **Regarding claim 24,** Tong discloses the method of claim 23, further comprising further curing the polymer following healing (Tong, ¶ [0013]).

25. **Regarding claim 25,** Tong discloses the method of claim 24, further comprising completely severing the adjacent semiconductor device components from one another along the street following healing (Tong, ¶ [0013]).

26. **Regarding claim 26,** Tong discloses the method of claim 20, wherein applying the protective material in the liquid state comprises applying liquefied thermoplastic material to the active surfaces (Tong, ¶ [0013]).

27. **Regarding claim 27,** Tong discloses the method of claim 26, further comprising permitting or causing the thermoplastic material to at least partially harden prior to severing and at least partially severing (Tong, ¶ [0013]).

28. **Regarding claim 28,** Tong discloses the method of claim 26, wherein healing comprises heating at least portions of the thermoplastic material located over peripheral regions of the adjacent semiconductor device components following severing and at least partially severing (Tong, ¶ [0013]).

Art Unit: 2823

29. Regarding claim 29, Tong discloses the method of claim 27, further comprising completely severing the adjacent semiconductor device components from one another along the street following healing (Tong, ¶ [0013]).

Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

The factual inquiries set forth in *Graham v. John Deere Co.*, 383 U.S. 1, 148 USPQ 459 (1966), that are applied for establishing a background for determining obviousness under 35 U.S.C. 103(a) are summarized as follows:

1. Determining the scope and contents of the prior art.
2. Ascertaining the differences between the prior art and the claims at issue.
3. Resolving the level of ordinary skill in the pertinent art.
4. Considering objective evidence present in the application indicating obviousness or nonobviousness.

Claims 9- 18 are rejected under 35 U.S.C. 103(a) as being unpatentable over Tong et al. (US 2003/0171456) as applied to claims 1-8 above, and further in view of Glen et al. (US 6,650,019 A1).

Art Unit: 2823

9. **Regarding claim 9, Tong** discloses the method of claim 1, however does not explicitly disclose wherein applying comprises applying a preformed sheet of protective material to the active surfaces (Tong, ¶ [0013]).

Glen et al. discloses at the time of the invention it was known in the art that the B-stageable material can be applied as preformed sheets (Glen, Col. 8 lines 36-58).

It would have been within the scope of one of ordinary skill in the art at the time of the invention to combine the teachings of Tong and Glen to enable the applying the B-stage material step of Tong to be performed according to the teachings of Glen because one of ordinary skill would have been motivated to look to alternative suitable methods of performing the disclosed application step of Tong and art recognized suitability for an intended purpose has been recognized to be motivation to combine.

MPEP 2144.07.

The spacer 50 can be made from a variety of materials, including a fiberglass matrix impregnated with a tacky, uncured (i.e., "B-stage") epoxy resin, or a ceramic, silicon or an oxide thereof, or alternatively, a plastic polymer sheet cut to the appropriate size. The adhesive layers 52 and 54 can be applied to the spacer 50 before it is attached to the first die 14, or alternatively, can be applied sequentially at the time the spacer is mounted to the die, first to the top surface of the first die 14, then to the top surface of the spacer before the second die is mounted on top of it. In yet another variation, the adhesive layer 54 used to mount the second die 16 on the spacer 50 can comprise the same adhesive material as the bead of uncured, fluid adhesive 40 dispensed around the perimeter 17 of the spacer 50, and can be deposited simultaneously therewith. In all cases, the layers of adhesive 52 and 54 on the spacer 50, and the layer 42

of adhesive 40 may all be simultaneously cured in a single step. (Glen, Col. 8 lines 36-58)

10. **Regarding claim 10**, Tong in view of Glen discloses the method of claim 9, wherein applying the preformed sheet comprises applying a preformed sheet comprising partially cured protective material (Glen, Col. 8 lines 36-58).

11. **Regarding claim 11**, Tong in view of Glen method of claim 9, wherein applying the preformed sheet comprises applying a preformed sheet comprising thermoplastic material.

It would have been obvious to one having ordinary skill in the art at the time the invention was made to use a thermoplastic material since it has been held to be within the general skill of a worker in the art to select a known material on the base of its suitability, for its intended use involves only ordinary skill in the art. *In re Leshin*, 125 USPQ 416.

12. **Regarding claim 12**, Tong in view of Glen method of claim 9, wherein applying preformed sheet comprises applying a preformed sheet including apertures positioned to align with the at least one bond pad of each of the adjacent semiconductor device components (Tong, ¶ [0013]).

Art Unit: 2823

13. **Regarding claim 13, Tong in view of Glen method of claim 2, wherein applying comprises applying a preformed sheet of protective material to the active surfaces (Glen, Col. 8 lines 36-58).**

14. **Regarding claim 14, Tong in view of Glen method of claim 13, wherein applying the preformed sheet comprises applying a preformed sheet comprising partially cured protective material (Glen, Col. 8 lines 36-58).**

15. **Regarding claim 15, Tong in view of Glen method of claim 13, wherein applying the preformed sheet comprises applying a preformed sheet comprising thermoplastic material.**

It would have been obvious to one having ordinary skill in the art at the time the invention was made to use a thermoplastic material since it has been held to be within the general skill of a worker in the art to select a known material on the base of its suitability, for its intended use involves only ordinary skill in the art. *In re Leshin*, 125 USPQ 416.

16. **Regarding claim 16, Tong in view of Glen method of claim 13, wherein applying the preformed sheet comprises applying a preformed sheet including apertures therein positioned to align with the at least one bond pad of each of the adjacent semiconductor device components (Tong, ¶ [0013]).**

Art Unit: 2823

17. **Regarding claim 17, Tong** in view of Glen method of claim 13, wherein applying the preformed sheet comprises applying the preformed sheet such that a conductive structure protruding from each of the adjacent semiconductor device components on the fabrication substrate passes through a plane of the preformed sheet (Tong, ¶ [0013]).

18. **Regarding claim 18, Tong** in view of Glen method of claim 17, further comprising heating each conductive structure prior to applying the preformed sheet (Tong, ¶ [0006]).

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Jarrett J. Stark whose telephone number is (571) 272-6005. The examiner can normally be reached on Monday - Thursday 7:00AM - 5:30PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Matthew Smith can be reached on (571) 272-1907. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Art Unit: 2823

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

JJS
August 30, 2006


MICHELLE ESTRADA
PRIMARY EXAMINER